Author Index

Aloj, L., see Canipari, R. (1175) 1
Antoine, M.-H., Hermann, M., Herchuelz, A. and Lebrun, P.
Sodium nitroprusside inhibits glucose-induced insulin release by activating ATP-sensitive K^+ channels (1175) 293
Arai, K.-i., see Tomoda, T. (1175) 333
Ashcroft, F.M., see Ashcroft, S.J.H. (1175) 45
Ashcroft, S.J.H. and Ashcroft, F.M.
The sulfonylurea receptor (1175) 45
Azuma, Y., see Onishi, Y. (1175) 147

Bagshaw, W.L., see Medley, Q.G. (1175) 7
Baverel, G., see Martin, G. (1175) 161
Baverel, G., see Vincent, N. (1175) 13
Berényi, E., see Miseta, A. (1175) 133
Bernard, F., see Blachier, F. (1175) 21
Berry, M.N., see Henly, D.C. (1175) 269
Bertel, O., see Suko, J. (1175) 193
Bito, H., see Sakanaka, C. (1175) 61
Blachier, F., M'Rabet-Touil, H., Posho, L., Morel, M.-T., Bernard, F., Darcy-Vrillon, B. and Duée, P.-H.
Polyamine metabolism in enterocytes isolated from newborn pigs (1175) 21
Bogner, P., see Miseta, A. (1175) 133
Bogoyevitch, M.A., see Sugden, P.H. (1175) 327
Boonen, G.J.J.C., VanSteveninck, J. and Elferink, J.G.R.
Strontium and barium induce exocytosis in electropermeabilized neutrophils (1175) 155
Boukhzer, E., Ennya, A., Felden, F., Gérard, A., Nexø, E., Nicolas, J.P., Gérard, H. and Guéant, J.L.
Transcobalamin II – cobalamin binding sites are present on rabbit germ cells (1175) 128
Burkey, T.H. and Webster, R.O.
Adenosine inhibits fMLP-stimulated adherence and superoxide anion generation by human neutrophils at an early step in signal transduction (1175) 312

Cabero, J.L., see Li, Z.-Q. (1175) 250
Calì, G., see Canipari, R. (1175) 1
Callaghan, R., Stafford, A. and Epand, R.M.
Increased accumulation of drugs in a multidrug resistant cell line by alteration of membrane biophysical properties (1175) 277
Cameron, I.L., see Miseta, A. (1175) 133
Canipari, R., Zurzolo, C., Polistina, C., Garbi, C., Aloj, L., Calì, G., Gentile, R. and Nitsch, L.
Polarized secretion of plasminogen activators by epithelial cell monolayers (1175) 1
Castagna, M., see Huang, X.P. (1175) 351
Chang, Y.-L., see Ko, F.-N. (1175) 225
Chen, I.-S., see Ko, F.-N. (1175) 225
Chung, C.H., see Kwak, K.B. (1175) 243
Chung, S.S., see Kwak, K.B. (1175) 243
Combet, J., see Martin, G. (1175) 161
Côté, G.P., see Medley, Q.G. (1175) 7

Darcy-Vrillon, B., see Blachier, F. (1175) 21
De Grada, L., see Ferraretto, A. (1175) 283
Detimary, P., see Drews, G. (1175) 214
Doyle, C.A., see Nielsen, H.C. (1175) 95
Drews, G., Detimary, P. and Henquin, J.-C.
Non-additivity of adrenaline and galanin effects on ^{86}Rb efflux and membrane potential in mouse B-cells suggests sharing of common targets (1175) 214
D'souza, A., Hinduja, I.N. and Puri, C.P.
Antiprogestin ZK-98.299 and progesterone display differential binding characteristics in the human myometrial cytosol (1175) 73
Duan, Y.-J., see Miwa, I. (1175) 174
Duée, P.-H., see Blachier, F. (1175) 21
Dufault, S.N., see Johnson, W.T. (1175) 263

Elferink, J.G.R., see Boonen, G.J.J.C. (1175) 155
English, D., see Taylor, G.S. (1175) 219
Ennya, A., see Boukhzer, E. (1175) 128
Epand, R.M., see Callaghan, R. (1175) 277

Fan, X.T., see Huang, X.P. (1175) 351
Felden, F., see Boukhzer, E. (1175) 128
Fernandes, P.L., see Ferreira, K.T.G. (1175) 27
Ferraretto, A., Negri, A., Giuliani, A., De Grada, L., Fuhrman Conti, A.M. and Ronchi, S.
Aldose reductase is involved in long-term adaptation of EUE cells to hyperosmotic stress (1175) 283
Ferreira, H.G., see Ferreira, K.T.G. (1175) 27
Ferreira, K.T.G., Fernandes, P.L. and Ferreira, H.G.
Ion transport across the epithelium of the rabbit caecum (1175) 27
Frucht, H., see Wang, L.-H. (1175) 232
Fuhrman Conti, A.M., see Ferraretto, A. (1175) 283
Fukatsu, H., see Miwa, I. (1175) 174
Fuller, S.J., see Sugden, P.H. (1175) 327

Galambos, C., see Miseta, A. (1175) 133
Garbi, C., see Canipari, R. (1175) 1
Geddis, L.M., see Kutchai, H. (1175) 140
Gentile, R., see Canipari, R. (1175) 1
Gérard, A., see Boukhzer, E. (1175) 128
Gérard, H., see Boukhzer, E. (1175) 128
Giuliani, A., see Ferraretto, A. (1175) 283
Goto, S., see Kato, K. (1175) 257
Greene, B., see Taylor, G.S. (1175) 219
Guéant, J.L., see Boukhzer, E. (1175) 128

Ha, D.B., see Kwak, K.B. (1175) 243
Hallett, M.B., see Lloyds, D. (1175) 207
Hasegawa, K., see Kato, K. (1175) 257
Hatchett, IV, R.J., see Sugden, P.H. (1175) 327
Hayashi, Y., see Negishi, M. (1175) 343
Hellmann, G., see Suko, J. (1175) 193
Henly, D.C. and Berry, M.N.
Effect of palmitate concentration on the relative contributions of the β-oxidation pathway and citric acid cycle to total O_2 consumption of isolated rat hepatocytes (1175) 269
Henquin, J.-C., see Drews, G. (1175) 214

Herchuelz, A., see Antoine, M.-H. (1175) 293
Hermann, M., see Antoine, M.-H. (1175) 293
Hidaka, M., see Ogawara, H. (1175) 289
Higashi, K., see Ogawara, H. (1175) 289
Hinduja, I.N., see D'souza, A. (1175) 73
Hisahi-Ishii, , see Ko, F.-N. (1175) 225
Hohenegger, M., see Suko, J. (1175) 193
Honda, A., see Negishi, M. (1175) 343
Honda, Z.-i., see Sakanaka, C. (1175) 61
Horie, S., see Ishii, H. (1175) 37
Huang, L.L., Jahngen-Hodge, J. and Taylor, A.
Bovine lens epithelial cells have a ubiquitin-dependent proteolysis system (1175) 181
Huang, T.-F., see Ko, F.-N. (1175) 225
Huang, X.P., Silva, C.D., Fan, X.T. and Castagna, M.
Characteristics of arachidonic-acid-mediated brain protein kinase C activation: evidence for concentration-dependent heterogeneity (1175) 351

Ichikawa, A., see Negishi, M. (1175) 343
Inaguma, Y., see Kato, K. (1175) 257
Ishii, H., Suzuki, Y., Horie, S., Nakagawa, M. and Kazama, M.
Participation of calpain I activation in the ATP release reaction of platelets stimulated with thrombin (1175) 37
Izumi, T., see Sakanaka, C. (1175) 61

Jahngen-Hodge, J., see Huang, L.L. (1175) 181
James, J.E., see Taylor, G.S. (1175) 219
Jensen, R.T., see Wang, L.-H. (1175) 232
Johnson, W.T. and Dufault, S.N.
Intracellular calcium mobilization in rat platelets is adversely affected by copper deficiency (1175) 263
Jones, P.M., see Ratcliff, H. (1175) 188

Kanaoka, Y., see Nakayama, H. (1175) 67
Kang, M.-S., see Kwak, K.B. (1175) 243
Kato, H., see Ogawara, H. (1175) 289
Kato, K., Goto, S., Hasegawa, K., Shinohara, H. and Inaguma, Y.
Responses to heat shock of αB crystallin and HSP28 in U373 MG human glioma cells (1175) 257
Kawabe, J.-i., Ohsaki, Y. and Onodera, S.
Down-regulation of protein kinase C potentiates atrial natriuretic peptide-stimulated cGMP accumulation in vascular smooth-muscle cells (1175) 81
Kazama, M., see Ishii, H. (1175) 37
Kellermayer, M., see Miseta, A. (1175) 133
Kellogg, C.K., see Nielsen, H.C. (1175) 95
Kim, O.-M., see Kwak, K.B. (1175) 243
Kiss, Z.
Cooperative effects of ethanol and protein kinase C activators on phospholipase-D-mediated hydrolysis of phosphatidylethanolamine in NIH 3T3 fibroblasts (1175) 88
Kizaki, H., see Onishi, Y. (1175) 147
Ko, F.-N., Yu, S.-M., Chen, I.-S., Hisahi-Ishii, , Chang, Y.-L., Huang, T.-F. and Teng, C.-M.
CIS-19, a novel platelet activating factor receptor antagonist: in vitro and in vivo studies (1175) 225
Koike, T., see Tanaka, S. (1175) 114
Kutchai, H., Geddis, L.M. and Otero, A.S.
Identification of heterotrimeric and low molecular weight GTP-binding proteins in rabbit skeletal muscle longitudinal sarcoplasmic reticulum (1175) 140
Kwak, K.B., Chung, S.S., Kim, O.-M., Kang, M.-S., Ha, D.B. and Chung, C.H.
Increase in the level of m-calpain correlates with the elevated cleavage of filamin during myogenic differentiation of embryonic muscle cells (1175) 243

Ladd, A., see Taylor, G.S. (1175) 219
Lebrun, P., see Antoine, M.-H. (1175) 293
Levy, E., see Loirdighi, N. (1175) 100
Li, Z.-Q., Cabero, J.L., Nilsson, B.O. and Mårdh, S.
Direct gastrin action on isolated rat parietal cells induces morphological transformations (1175) 250
Lin, J.-T., see Wang, L.-H. (1175) 232
Lloyds, D. and Hallett, M.B.
Activation and priming of the human neutrophil oxidase response by substance P: distinct signal transduction pathways (1175) 207
Loirdighi, N., Ménard, D. and Levy, E.
Insulin decreases chylomicron production in human fetal small intestine (1175) 100
Louis, C.F., see Strand, M.A. (1175) 319

Maeda, N., see White, A.M. (1175) 307
Manita, S., see Ogawara, H. (1175) 289
Mantey, S.A., see Wang, L.-H. (1175) 232
Mårdh, S., see Li, Z.-Q. (1175) 250
Martel-Pelletier, J., McCollum, R. and Pelletier, J.-P.
The synthesis of IL-1 receptor antagonist (IL-1ra) by synovial fibroblasts is markedly increased by the cytokines TNF-α and IL-1 (1175) 302
Martin, G., see Vincent, N. (1175) 13
Martin, G., Vincent, N., Combet, J. and Baverel, G.
A simple model for alanine metabolism in isolated rat hepatocytes (1175) 161
Maurer-Fogy, I., see Suko, J. (1175) 193
McCollum, R., see Martel-Pelletier, J. (1175) 302
Medley, Q.G., Bagshaw, W.L., Truong, T. and Côté, G.P.
Dictyostelium myosin II heavy-chain kinase A is activated by heparin, DNA and acidic phospholipids and inhibited by polylysine, polyarginine and histones (1175) 7
Ménard, D., see Loirdighi, N. (1175) 100
Mickelson, J.R., see Strand, M.A. (1175) 319
Mikoshiba, K., see White, A.M. (1175) 307
Minami, M., see Sakanaka, C. (1175) 61
Miseta, A., Bogner, P., Berényi, E., Kellermayer, M., Galambos, C., Wheatley, D.N. and Cameron, I.L.
Relationship between cellular ATP, potassium, sodium and magnesium concentrations in mammalian and avian erythrocytes (1175) 133
Miwa, I., Duan, Y.-J., Murase, S., Fukatsu, H., Tamura, A. and Okuda, J.
Stimulatory effect of phospholipase A_2 treatment on glucose utilization in human erythrocytes (1175) 174
Mizuno, Y., see Onishi, Y. (1175) 147
Morel, M.-T., see Blachier, F. (1175) 21
M'Rabet-Touil, H., see Blachier, F. (1175) 21
Muramatsu, M.-a., see Tomoda, T. (1175) 333
Murase, S., see Miwa, I. (1175) 174
Murata, T., see Tomoda, T. (1175) 333
Mutoh, H., see Sakanaka, C. (1175) 61
Mynett, J.R., see Sugden, P.H. (1175) 327

Nakagawa, M., see Ishii, H. (1175) 37
Nakamura, M., see Sakanaka, C. (1175) 61
Nakayama, H., Shikano, H. and Kanaoka, Y.
A site-directed antibody that inhibits phosphorylation of the rat-brain sodium channel by cyclic-AMP-dependent protein kinase (1175) 67
Namba, T., see Negishi, M. (1175) 343
Narumiya, S., see Negishi, M. (1175) 343
Negishi, M., Sugimoto, Y., Hayashi, Y., Namba, T., Honda, A., Watabe, A., Narumiya, S. and Ichikawa, A.
Functional interaction of prostaglandin E receptor EP_3 subtype with guanine nucleotide-binding proteins, showing low-affinity ligand binding (1175) 343

Negri, A., see Ferraretto, A. (1175) 283
Nexø, E., see Boukhzer, E. (1175) 128
Nicolas, J.P., see Boukhzer, E. (1175) 128
Nielsen, H.C., Kellogg, C.K. and Doyle, C.A.
Development of fibroblast-type-II cell communications in fetal rabbit lung organ culture (1175) 95
Nilsson, B.O., see Li, Z.-Q. (1175) 250
Nitsch, L., see Canipari, R. (1175) 1

Ogawara, H., Higashi, K., Manita, S., Hidaka, M., Kato, H. and Takenawa, T.
An inhibitor of inositol-phospholipid-specific phospholipase C (1175) 289
Ohsaki, Y., see Kawabe, J.-i. (1175) 81
Okuda, J., see Miwa, I. (1175) 174
Onishi, Y., Azuma, Y., Sato, Y., Mizuno, Y., Tadakuma, T. and Kizaki, H.
Topoisomerase inhibitors induce apoptosis in thymocytes (1175) 147
Onodera, S., see Kawabe, J.-i. (1175) 81
Otero, A.S., see Kutchai, H. (1175) 140

Pelletier, J.-P., see Martel-Pelletier, J. (1175) 302
Plank, B., see Suko, J. (1175) 193
Polistina, C., see Canipari, R. (1175) 1
Posho, L., see Blachier, F. (1175) 21
Pralong, W.-F., see Rutter, G.A. (1175) 107
Puri, C.P., see D'souza, A. (1175) 73

Ratcliff, H. and Jones, P.M.
Effects of okadaic acid on insulin secretion from rat islets of Langerhans (1175) 188
Ronchi, S., see Ferraretto, A. (1175) 283
Rutter, G.A., Pralong, W.-F. and Wollheim, C.B.
Regulation of mitochondrial glycerol-phosphate dehydrogenase by Ca^{2+} within electropermeabilized insulin-secreting cells (INS-1) (1175) 107

Sakanaka, C., Izumi, T., Nakamura, M., Honda, Z.-i., Watanabe, T., Minami, M., Mutoh, H., Bito, H., Seyama, Y., Ui, M. and Shimizu, T.
Three types of Giα protein of the guinea-pig lung: cDNA cloning and analysis of their tissue distribution (1175) 61
Sato, Y., see Onishi, Y. (1175) 147
Seyama, Y., see Sakanaka, C. (1175) 61
Shikano, H., see Nakayama, H. (1175) 67
Shima, S.
Effects of androgen on α- and β-adrenergic receptors in membranes from the rat seminal vesicle (1175) 123
Shimizu, T., see Sakanaka, C. (1175) 61
Shinohara, H., see Kato, K. (1175) 257
Silva, C.D., see Huang, X.P. (1175) 351
Stafford, A., see Callaghan, R. (1175) 277
Strand, M.A., Louis, C.F. and Mickelson, J.R.
Phosphorylation of the porcine skeletal and cardiac muscle sarcoplasmic reticulum ryanodine receptor (1175) 319
Sugden, M.C., see Sugden, P.H. (1175) 327
Sugden, P.H., Fuller, S.J., Mynett, J.R., Hatchett, IV, R.J., Bogoyevitch, M.A. and Sugden, M.C.
Stimulation of adult rat ventricular myocyte protein synthesis and phosphoinositide hydrolysis by the endothelins (1175) 327
Sugimoto, Y., see Negishi, M. (1175) 343
Suko, J., Maurer-Fogy, I., Plank, B., Bertel, O., Wyskovsky, W., Hohenegger, M. and Hellmann, G.
Phosphorylation of serine 2843 in ryanodine receptor-calcium release channel of skeletal muscle by cAMP-, cGMP- and CaM-dependent protein kinase (1175) 193
Suzuki, Y., see Ishii, H. (1175) 37

Tadakuma, T., see Onishi, Y. (1175) 147
Takenawa, T., see Ogawara, H. (1175) 289
Tamura, A., see Miwa, I. (1175) 174
Tanaka, S. and Koike, T.
Caffeine promotes survival of cultured sympathetic neurons deprived of nerve growth factor through a cAMP-dependent mechanism (1175) 114
Taylor, A., see Huang, L.L. (1175) 181
Taylor, G.S., Ladd, A., James, J.E., Greene, B. and English, D.
Characterization of phosphatidic acid phosphohydrolase in neutrophil subcellular fractions (1175) 219
Teng, C.-M., see Ko, F.-N. (1175) 225
Tomoda, T., Murata, T., Arai, K.-i. and Muramatsu, M.-a.
Mutations on ^{170}Glu, a substrate recognition residue in mouse cAMP-dependent protein kinase, generate enzymes with altered substrate affinity and biological functions (1175) 333
Truong, T., see Medley, Q.G. (1175) 7

Ui, M., see Sakanaka, C. (1175) 61

VanSteveninck, J., see Boonen, G.J.J.C. (1175) 155
Varney, M.A., see White, A.M. (1175) 307
Vincent, N., Martin, G. and Baverel, G.
Glycine, a new regulator of glutamine metabolism in isolated rat-liver cells (1175) 13
Vincent, N., see Martin, G. (1175) 161

Wang, L.-H., Mantey, S.A., Lin, J.-T., Frucht, H. and Jensen, R.T.
Ligand binding, internalization, degradation and regulation by guanine nucleotides of bombesin receptor subtypes: a comparative study (1175) 232
Watabe, A., see Negishi, M. (1175) 343
Watanabe, T., see Sakanaka, C. (1175) 61
Watson, S.P., see White, A.M. (1175) 307
Webster, R.O., see Burkey, T.H. (1175) 312
Wheatley, D.N., see Miseta, A. (1175) 133
White, A.M., Varney, M.A., Maeda, N., Mikoshiba, K. and Watson, S.P.
Comparison of Ins(1,4,5)P_3 receptors from rat cerebellum and bovine adrenal cortex (1175) 307
Wollheim, C.B., see Rutter, G.A. (1175) 107
Wyskovsky, W., see Suko, J. (1175) 193

Yu, S.-M., see Ko, F.-N. (1175) 225

Zurzolo, C., see Canipari, R. (1175) 1